

Google scholar

backing up configuration data communication of

Search

[Advanced Scholar Search](#)

Scholar

Articles and patents

anytime

include citations

[Create email alert](#)

Results 1 - 10 of about 16,900. (0.20 sec)

Upgrading of electronic files including automatic recovery from failures and errors occurring during the upgrade

L. Peng - US Patent App. 10/292,245, 2002 - Google Patents

... May 13, 2004 Sheet 16 of 16 US 2004/0092255 A1 /Report error to DUS an(K I user, then terminate

V **update** >No-J Fleplaci **back** :a status/configure tablet by ^ **up** status/configure ... 4 is a flow diagram for upgrading client device **configuration** files, under an embodiment. ...[Cited by 44](#) - [Related articles](#) - [All 4 versions](#)Automatic data collection device having a network communications capability

JM Hunt, JR Ramberg, PD Shoeman... - US Patent ..., 2003 - Google Patents

... Markup Language (HTML) documents, Dynamic Hypertext Mark-Up Language (DHTML)

documents, and Extensible Mark Up Language (XML) ... Configure ADC **Devices** I Receive request for ADC reader **configuration** DID I Send **configuration** request to ADC **data** server 510 ...[Cited by 111](#) - [Related articles](#) - [All 2 versions](#)Method and system for maintaining concurrent data access during device upgrade

VJ Legvold, J Liu, CS Michod, CY Ng... - US Patent ..., 1997 - Google Patents

... The Interpreter "Competition Heats Up in Growing Fault- Tolerant Computer Market", Mini-Micro ...

The storage controller maintains **configuration data** for the entire subsystem in redundant, non ...I *220 I #234 RECOPY **DATA** FROM DESTINATION DEVICE **BACK** TO UPGRADED ...[Cited by 30](#) - [Related articles](#) - [All 2 versions](#)System for migrating data by selecting a first or second transfer means based on the status of a data element map initialized to a predetermined state

Y Ofek... - US Patent 5,660,640, 1997 - Google Patents

... to the **data** processing unit, and the external source, for migrating **data** from the first to the **data** copied from the **back-up** device to ... 16' The **data** map or table is which is generally similar or identical to the first **data** storage established during the set-up or **configuration** of the ...[Cited by 182](#) - [Related articles](#) - [All 2 versions](#)System and method for backing up distributed controllers in a data network

S Covington... - US Patent 6,725,106, 2004 - Google Patents

... In yet another aspect, the present invention is a method of **backing up** an automated ... with the steps of configuring the spare controller using controller- **configuration** information previously ... in a database, and routing station-controller **communications** through the **data** network to ...[Cited by 5](#) - [Related articles](#) - [All 2 versions](#)

Data migration method, protocol converter and switching apparatus using it

K Obara - US Patent App. 09/760,411, 2001 - Google Patents

... dealt as being online since the period of time of the disconnection is far and away shorter than the **backing up** and restoring ... The processor 19 then looks **up** the mapping table 20 to find those obtained numbers to determine the fiber channel ... [0053] The **configuration** scheme of ...

[Cited by 94](#) - [Related articles](#) - [All 3 versions](#)

Method and apparatus for protecting proprietary decryption keys for programmable logic devices

SM Trimberger - US Patent 6,996,713, 2006 - freepatentsonline.com

... describing the user's circuit and provides the now decrypted **configuration data back** to internal ... be used in conjunction with non-volatile or battery-backed-up decryption key ... disposed between pin 205 and **configuration** logic 620 to decompress compressed **configuration data** ...

[Cited by 17](#) - [Related articles](#) - [Cached](#)

Shared database usage in network devices

D Black, TR Perry... - US Patent 6,671,699, 2003 - Google Patents

... "**Configuration**," Cisco Systems Inc. ... include, for example, two identical processes that are executed simultaneously to access the same **data** within the **data** file in ... 11A LOGICAL TO PHYSICAL PORT TABLE 101 -98 107- -102 104 PRIMARY PID **BACK-UP** PID LID 40 1500 1600 ...

[Cited by 49](#) - [Related articles](#) - [All 2 versions](#)

Method for distributed update of firmware across a clustered platform infrastructure

MA Rothman... - US Patent App. 10/460,922, 2003 - Google Patents

... As yet another option, a management or **configuration** server may be employed to manage blade ... a network-attached storage (NAS) appliance is employed for storing large volumes of **data**. ... an out-of-band (OOB) **communication** channel comprises a **communication** means that ...

[Cited by 13](#) - [Related articles](#) - [All 3 versions](#)

System and method for on-line, real time, data migration

Y Ofek... - US Patent 6,240,466, 2001 - Google Patents

... The existing and replacement storage **devices** are connected as a composite storage ... PROCEDURE 303- YES PERFORM SWAP TASK 304- INITIATE **DATA** MIGRATION COMPLETE SETUP PROCEDURE THROUGH SYSTEM **CONFIGURATION** DEVICE 26 302 ...

[Cited by 90](#) - [Related articles](#) - [All 2 versions](#)

[Create email alert](#)

Result Page: 12345678910 **Next**

backing up configuration data comm Search

[Go to Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2011 Google